

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17281	709/202,207,217,219,223.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 16:53
L2	955	709/202,207.ccls.	US-PGPUB	OR	ON	2007/10/25 17:43
L3	96	709/202,207.ccls. and chat same session	US-PGPUB	OR	ON	2007/10/25 17:43
L4	13	709/202,207.ccls. and chat same session and pars\$	US-PGPUB	OR	ON	2007/10/25 17:44
L5	6	709/202,207.ccls. and chat same session and pars\$ and query	US-PGPUB	OR	ON	2007/10/25 17:44
L6	1	("6430602").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/25 17:45
L7	35	("6430602").URPN.	USPAT	OR	ON	2007/10/25 17:45
L8	3780	(@ad<"20011015" or @rlad<"20011015") and pars\$ with language	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 17:46
L9	34	(@ad<"20011015" or @rlad<"20011015") and pars\$ with language same query same (bot or agent)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 17:46
L10	0	(@ad<"20011015" or @rlad<"20011015") and pars\$ with language same query same (bot or agent) and l2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 17:47
L11	15	(@ad<"20011015" or @rlad<"20011015") and pars\$ with language same query same (bot or agent) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 17:47
L12	0	(@ad<"20011015" or @rlad<"20011015") and expertbot same chat	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 17:47
S1	21614264	@ad<"20011015"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 13:01

EAST Search History

S2	2826	S1 and (agent or bot or chat) same query	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 13:02
S3	1545	709/202.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 13:02
S4	165	S2 and S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 13:03
S5	21614264	@ad<"20011015"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 13:16
S6	1545	709/202.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 13:16
S7	3	S5 and S6 and (agent or bot or chat) same query same (chat or (instant with message))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 13:16
S8	10	S5 and S6 and (agent or bot or chat) same parse with (chat or (instant with message) or IM or message or channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 13:18
S9	9	S5 and S6 and (agent or bot) same parse with (chat or (instant with message) or IM or message or channel or conversation)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 13:24

EAST Search History

S10	83	S5 and (agent or bot) same parse with (chat or (instant with message) or IM or message or channel or conversation)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 13:24
S11	2	(@ad<"20011015" or @rlad<"20011015") and (eggdrop or slennox)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 13:29
S12	1	("6430602").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/25 13:31
S13	21	(@ad<"20011015" or @rlad<"20011015") and agent same member same chat	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 13:39
S14	15680	(@ad<"20011015" or @rlad<"20011015") and expertbotsame chat	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 13:42
S15	0	(@ad<"20011015" or @rlad<"20011015") and expertbot same chat	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 13:42
S16	92908	(@ad<"20011015" or @rlad<"20011015") and \$bot	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 13:42
S17	3327	(@ad<"20011015" or @rlad<"20011015") and \$bot same agent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 13:42
S18	30	(@ad<"20011015" or @rlad<"20011015") and \$bot same agent and S6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 13:42
S19	25	(@ad<"20011015" or @rlad<"20011015") and (message or chat) and \$bot same agent and S6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 13:45
S20	1	("20030079024").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/25 14:55

EAST Search History

S21	0	(@ad<"20011015" or @rlad<"20011015") and (smartchild or smarterchild)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 15:01
S22	119	(@ad<"20011015" or @rlad<"20011015") and (smart with child)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 15:01
S23	6	(@ad<"20011015" or @rlad<"20011015") and (smart with child) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 15:03
S24	11	(@ad<"20011015" or @rlad<"20011015") and plain with language with pars\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 15:49

<http://web.archive.org/web/20000524044155/http://botnetcentral.wingdesign.de/>

If you have
installation/
Egghelp site
(Posted by)

News

- > Latest
- > Archive
- > Submit

Eggdrop

- Eggdrop 1.4.x
 - > Changes
 - > Bug Report
- Eggdrop 1.5.x
 - > Changes
 - > Bug Report

Scripts

- > !trigger Kit
- > Common Procs

Categories

- Categories
 - > Seen
 - > Greet
 - > BNC
 - > Defense
 - > Fun
 - > Games

Forum

- > Forum
 - > General
 - > Eggdrop
 - 1.4.x
 - > Eggdrop
 - 1.5.x
 - > Bugs

Recent Headlines

- The price has changed,...
- Win a one month limite...
- Eggdrop 1.5.3 released
- New database + mirror

(Archive)

[Sort by name](#) | [Sort by date](#) |

The price has changed, it?s now a 1! year she

Posted by [Wingman](#) on 05/10/2000 @ 00:13

Thanks to guppy, the winner will get a shell at pns.net limited to 1 ye

Thx guppy :)

Win a one month limited free shell

Posted by [Wingman](#) on 05/09/2000 @ 23:57

What do you have to do for this shell?

Only add as many comments/description to files indexed on BotnetCe
00:00), the winner is, who has added the most comments.

What do you get for it?

- A shell on a linux server
- connected with 2mbit
- kernel 2.2.12-20, amd k6 266 mhz
- 9 gig hdd
- your space will be limited to 100 mb
- process limit is one eggdrop or one bnc
- you?ll get a www directory with cgi-bin enabled, php4 and mysql ac
- BUT: the shell is limited to 1 month, after this time, it will be delete


What?s not allowed:

- adding always the same description (e.g. for eggdrop1.1.5 till eggd
- descriptions/comments, which are not related to the file or are just
- adding a description/comment, that has already been posted or is s

What?s allowed:


- copying descriptions from the files itself, (e.g. descriptions from the

> Other Stuff



Why i?m doing this?

- cause it?s an advantage for all of us, if the files at botnetcentral ha
- i?ll get no money for any hits on this site (there?s no banner on it)!

**Search**

Note on Counting comments/descriptions:


- use always the same nickname/email/password



Quick search:



Starts at: RIGHT NOW



Happy posting =)

Eggdrop 1.5.3 released**Posted by Wingman on 05/07/2000 @ 03:13**

Guppy just released 1.5.3 moments ago...

Well people here is another beta version of Eggdrop for you to fiddle

*With the release of Eggdrop1.5.3, the development tree is officially b
soon Eggdrop1.6.0 will become the next official stable version of Egg
release of 1.5.2 (a long time ago)*

-- the UPDATES file for 1.5.3 can be viewed online @

[http://web.archive.org/web/20000524044155/http://www.eggheads
at BotnetCentral](http://web.archive.org/web/20000524044155/http://www.eggheads.at/BotnetCentral).

*Some of the major things changed since 1.5.2 have been a totally ne
their own configure scripts which makes compiling eggdrop on certain
added which supports userfile sharing compression and adds some n
decompress files. Also a complete set of web documents have been a
eggdrop.conf.dist is also gone now, and has been broken up into thre*

*eggdrop.simple.conf
eggdrop.advanced.conf
eggdrop.complete.conf*

*This allows for easier editing of the config file, since you can pick whi
into your configuration.*

You can download eggdrop1.5.3 @

<http://web.archive.org/web/20000524044155/ftp://ftp.eggheads.org>
<http://web.archive.org/web/20000524044155/ftp://ftp.wingdesign.d>

the md5sum as always is:

*[guppy@tsss beta]\$ md5sum eggdrop1.5.3.tar.gz
586121ad4599b679a8f01adaa0ff5f07 eggdrop1.5.3.tar.gz*

Jeff.


New database + mirror

Posted by Wingman on 05/04/2000 @ 23:01

I had to reset the database, cause the update script is now using rsync
ftp.wingdesign.de is now (currently un)official mirror of ftp.eggheads

url: <http://web.archive.org/web/20000524044155/ftp://ftp.wingdesign.de/>


[Sort by name](#) | [Sort by date](#) | [Asc](#)




You can unl
info from m
all channel ;



(Posted by !




<http://web.archive.org/web/20001021114805/http://botnetcentral.wingdesign.de/>



News


- > [Latest](#)
- > [Archive](#)
- > [Submit](#)



!Trigger Build Kit



You want your bot to respond on e.g. !rules and send the 'writer' a txt file? Or just a notice? But you don?t know anything about TCL? No problem, just fill out this simple form and that?s it.



Eggdrop

- Eggdrop 1.4.x
 - > [Changes](#)
 - > [Bug Report](#)
- Eggdrop 1.5.x
 - > [Changes](#)
 - > [Bug Report](#)



1. What?s the 'command' to which the bot should respond? (e.g. !rules or !send)

!trigger



2. Who should be able to use '!trigger'?



all users



3. What should the bot do, if it detects this command??


☐ Send a **NOTICE** to <nick>:

Hi, welcome to #channel!




Scripts

- > [!trigger Kit](#)
- > [Common Procs](#)



☐ Send a **PRIVMSG** to <nick>:

Hi, welcome to #channel!





Categories

- Categories
 - > [Seen](#)
 - > [Greet](#)
 - > [BNC](#)
 - > [Defense](#)
 - > [Fun](#)
 - > [Games](#)



☐ Send a **PUBLIC** msg <channel>:

Hi, welcome to #channel!



Forum

- > [Forum](#)
 - > [General](#)
 - > [Eggdrop](#)
- 1.4.x
 - > [Eggdrop](#)
- 1.5.x




☐ DCC Send a **FILE** to <nick>:

/path/to/your/filename.txt

Generate

> Bugs
> Other Stuff


x	x		x
x	x	Search	x
x	Quick search:		x
x	x		x




You can unl
info from m
all channel :



(Posted by :





<http://web.archive.org/web/20001020212454/http://botnetcentral.wingdesign.de/>



News

- > [Latest](#)
- > [Archive](#)
- > [Submit](#)



Eggdrop

Eggdrop 1.4.x



> [Changes](#)

> [Bug Report](#)

Eggdrop 1.5.x



> [Changes](#)

> [Bug Report](#)



Scripts

- > [!trigger Kit](#)
- > [Common Procs](#)



Categories

Categories

> [Seen](#)



> [Greet](#)

> [BNC](#)

> [Defense](#)

> [Fun](#)

> [Games](#)



Forum

> [Forum](#)

> [General](#)

> [Eggdrop](#)

1.4.x

> [Eggdrop](#)

1.5.x



Common used tcl procs



Posted by [Wingman](#) (<http://web.archive.org/web/2000102005/01/2000@13:59>)



Description:

check, if a timer exists

Returns:

- if a timer exists id of timer

- if none exists, nothing



```
proc timerexists {command} {
    foreach i [timers] {
        if {[string compare $command [lindex $i 1]] == 0} then {
            return [lindex $i 2]
        }
    }
    return
}
```



Posted by [Wingman](#) on 05/01/2000 @ 14:42



Description:

Checks, if a <handle> is a perm owner or not

Usage: ispermown <handle>

Returns:

1 if handle is a perm owner, 0 if not



```
proc ispermown { handle } {
    global owner
    if {[info exists owner] || $owner == ""} {return 0}
    if {$handle == ""} {return 0}
    foreach zowner [split [string trim $owner " "]] {
        if {[string tolower $handle] == [string tolower $zowner]} { set isowner :
            if {[info exists isowner]} {
                if {[matchattr $handle n]} {return 1} {return 0}
            }
        }
    }
    return 0
}
```



Posted by [Johoho](#) (<http://web.archive.org/web/200010202105/07/2000@16:54>)



Description:



This script return the reversed string.



```
proc reverse {toreverse} {
    for {set i [string length $toreverse]} {$i > 0} {} {
        append reverse [string index $toreverse [incr i -1]]
    }
    return $reverse
}
```




> [Bugs](#)
> [Other Stuff](#)



Search



Quick search:



Posted by [Wingman](#) on 05/08/2000 @ 00:01

Description:

Checks, if hand is on botnetchannel chan.

Usage: isonbotnetchan <hand> <chan>

Example: [isonbotnetchan Wingman 0]

Returns:

- 1 if hand is on chan

- 0 if not

(coded by guppy :)

```
proc isonbotnetchan {hand chan} {
    set hand [string tolower $hand]
    foreach user [string tolower [whom $chan]] {
        if {[lindex $user 0] == $hand} {
            return 1
        }
    }
    return 0
}
```

Posted by [guppy](#)

(<http://web.archive.org/web/20001020212454/http://botn> on 05/19/2000 @ 01:13)

Description:

This proc is a very commonly function used within Eggdrop; however TCL function.

What is it does is this ... (example code follows)

```
set string "What a useless snippet"
set firstword [newsplit string]
```

if you run this, \$string will be set to "a useless snippet" and \$firstword

```
proc newsplit {var} {
    upvar $var local ;# grab our variable so we can modify it in this proc.
    append local "\ " ;# add a space to the end .. so string first works if
                        ;# we are trimming the last word off of a string.

    set f [string first "\ " $local] ;# look for the first space in our string
    set fword [string range $local 0 [expr $f -1]] ;# grab the first word
    set local [string range $local [expr $f +1] [expr [string length $local] -1]]
    return $fword
}
```

Posted by [guppy](#)

(<http://web.archive.org/web/20001020212454/http://botn> on 05/19/2000 @ 01:14)

Description:

This proc is a very commonly function used within Eggdrop; however TCL function.

What is it does is this ... (example code follows)

```
set string "What a useless snippet"
set firstword [newsplit string]
```

if you run this, \$string will be set to "a useless snippet" and \$firstword

```
proc newsplit {var} {
    upvar $var local ;# grab our variable so we can modify it in this proc.
```

```
append local \" \" ;# add a space to the end .. so string first works if
;# we are trimming the last word off of a string.

set f [string first \" \" $local] ;# look for the first space in our string
set fword [string range $local 0 [expr $f -1]] ;# grab the first word
set local [string range $local [expr $f +1] [expr [string length $local] -1]]
return $fword
}
```

Posted by LionPing on 09/26/2000 @ 05:49

Description:

Neat little proc to check if a string is a number.

```
proc isnum {a} {if {[catch {expr $a}]} {return 0} {return 1}}
```

Post a new proc

Name:

Email:

Homepage:



Description

Code

Submit

Reset


> Bugs
> Other Stuff



Search



Quick search:



sentinel1.30.tcl.gz 6801 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2479>
bytes Script

"Same as 1.20 with much more features added. Can now kick and ban"
(Comment from [Matt](#) on 05/11/2000 @ 02:35 | [Read all 1 comment](#))

sentinel1.20.tcl.gz 4730 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2478>
bytes Script

"Same as version 1.12 with these enhancements. Added mechanism"
(Comment from [Matt](#) on 05/11/2000 @ 01:28 | [Read all 1 comment](#))

sentinel1.12.tcl.gz 4429 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2477>
bytes Script

"Same as version 1.11 Fixed small problem with a binding which would"
(Comment from [Matt](#) on 05/11/2000 @ 01:26 | [Read all 1 comment](#))

sentinel1.11.tcl.gz 4361 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2476>
bytes Script

"Same as version 1.10 Flood protection script for eggdrop 1.3.x, with"
(Comment from [Matt](#) on 05/11/2000 @ 01:22 | [Read all 1 comment](#))

sentinel1.10.tcl.gz 2144 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2475>
bytes Script

"Flood protection script for eggdrop 1.3.x, with integrated BitchX CTCP"
(Comment from [Matt](#) on 05/11/2000 @ 01:24 | [Read all 1 comment](#))

sentinel1.02.tcl.gz 4120 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2474>
bytes Script

"Same as version 1.1 Did some testing on 1.1.5 and it doesnt work too"
(Comment from [Matt](#) on 05/11/2000 @ 01:18 | [Read all 1 comment](#))

sentinel1.01.tcl.gz 3921 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2473>
bytes Script

"Same as version 1.0. Bug fixes for erroneous ctcp reply, streamline"
(Comment from [Matt](#) on 05/11/2000 @ 01:15 | [Read all 1 comment](#))

sentinel.tcl.gz 3798 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2472>
bytes Script

"This script is basically a combination of bitchxpack1.37.tcl and lockc"
(Comment from [Matt](#) on 05/11/2000 @ 01:13 | [Read all 1 comment](#))

noctcps.tcl.gz 453 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2391>
bytes Script

"Makes the bot ignore all CTCPs"
(Comment from [BarkerJr](#) on 05/11/2000 @ 02:05 | [Read all 1 comment](#))

noctcp2.0.tcl.gz 1058 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=3901>
bytes Script

"makes the bot ignore CTCPs from non-ops"

(Comment from [BarkerJr](#) on 05/11/2000 @ 02:08 | [Read all 1 comment](#))

nochanctcps1.03.tcl.gz 1643 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2648>
bytes Script

"kick and/or ban and/or ignore channel or all CTCPs except from +o"

(Comment from [BarkerJr](#) on 05/11/2000 @ 02:13 | [Read all 1 comment](#))

noawayactions1.01.tcl.gz 1209 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2644>
bytes Script

"Punishes people who use away actions, on the channels you have set"

(Comment from [BarkerJr](#) on 05/10/2000 @ 14:19 | [Read all 2 comments](#))

mc.protectops1.3.tcl.gz 2941 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2333>
bytes Script

"Fixed in version 1.3 Fixed Tcl error [mc:po:mode]: cant read \"type"

(Comment from [Matt](#) on 05/18/2000 @ 18:26 | [Read all 1 comment](#))

mc.protectops1.2.tcl.gz 2776 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2332>
bytes Script

"Script wasnt changing flags in version 1.1 now fixed. Basiclly does v"

(Comment from [Matt](#) on 05/18/2000 @ 18:22 | [Read all 2 comments](#))

mc.protectops1.1.tcl.gz 2764 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=2331>
bytes Script

"Basiclly does what .chanset #channel +protectops +dontkickops do"

(Comment from [Matt](#) on 05/18/2000 @ 18:19 | [Read all 2 comments](#))

ircwarflood.tcl.gz 3685 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=1650>
bytes Script

"port/ctcp/color/text flood attacks with help from the botnet"

(Comment from [BarkerJr](#) on 05/11/2000 @ 00:38 | [Read all 1 comment](#))

ids-mod.tgz 2589 Module <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=1173>
bytes

"ids.mod - Basic host-based Intrusion Detection for Eggdrop 1.3 This"

(Comment from [Abraham](#) on 05/16/2000 @ 19:05 | [Read all 1 comment](#))

floodprot.tcl.gz 1328 TCL <http://web.archive.org/web/20001210023900/botnetcentral.wingdesign.de/category.phtml?id=3750>
bytes Script

"adds a user \"flooder\" and adds hostmasks to ignore. triggered by"

(Comment from [BarkerJr](#) on 05/11/2000 @ 00:44 | [Read all 2 comments](#))

CTCP_floodprot.tcl.gz 1104 TCL http://web.archive.org/web/20001210023900/http://wingdesign.de/botnetcentral/scripts/CTCP_floodprot.tcl.gz
bytes Script [id=1804](#)

"protects your bot from any fludnet ctcp flood. It does not allow youi
(Comment from [BarkerJr](#) on 05/11/2000 @ 01:56 | [Read all 1 comrr](#)

clone_detect.fixed.tcl.gz 1152 TCL http://web.archive.org/web/20001210023900/http://wingdesign.de/botnetcentral/scripts/clone_detect.fixed.tcl.gz
bytes Script [id=3672](#)

"kick/ban clones."
(Comment from [BarkerJr](#) on 05/11/2000 @ 17:44 | [Read all 2 comrr](#)

clone_detect-3B.tcl.gz 4270 TCL http://web.archive.org/web/20001210023900/http://wingdesign.de/botnetcentral/scripts/clone_detect-3B.tcl.gz
bytes Script [id=2051](#)

(No comments found, please [write a comment.](#))

clonefloodprot.tcl.gz 391 TCL <http://web.archive.org/web/20001210023900/http://wingdesign.de/botnetcentral/scripts/clonefloodprot.tcl.gz>
bytes Script [id=3674](#)

"Sets limit 20 and bans the clone host after 6 clones join. Unlimits at
(Comment from [BarkerJr](#) on 05/11/2000 @ 00:53 | [Read all 2 comrr](#)



CheckPass.Fixed.tcl.gz 678 TCL <http://web.archive.org/web/20001210023900/http://wingdesign.de/botnetcentral/scripts/CheckPass.Fixed.tcl.gz>
bytes Script [id=3497](#)

"Checks Who Doesnt Have A Password On The Bot. When A Use Join.
(Comment from [BarkerJr](#) on 05/11/2000 @ 17:46 | [Read all 1 comrr](#)

banflooders2.2.tcl.gz 719 TCL <http://web.archive.org/web/20001210023900/http://wingdesign.de/botnetcentral/scripts/banflooders2.2.tcl.gz>
bytes Script [id=3595](#)

"kicks and bans channel and ctcp spammers for 10mins."
(Comment from [BarkerJr](#) on 05/11/2000 @ 01:59 | [Read all 1 comrr](#)


> [Bugs](#)
> [Other Stuff](#)



Search



Quick search:



[peak.tcl.gz](#) 1944 TCL <http://web.archive.org/web/20001210042700/http://web.archive.org/web/20001210042700/peak.tcl.gz>
bytes Script [id=3917](#)

"This is the oldest publicly avail. version of script that keeps up with
(Comment from [Abraham](#) on 05/18/2000 @ 00:12 | [Read all 1 comment](#))

[notifyICQ1.2.tcl.gz](#) 2373 TCL <http://web.archive.org/web/20001210042700/http://web.archive.org/web/20001210042700/notifyICQ1.2.tcl.gz>
bytes Script [id=2404](#)

"Notifies via ICQ each time someone joins a channel"
(Comment from [BarkerJr](#) on 05/11/2000 @ 02:30 | [Read all 1 comment](#))

[megahal.tar.gz](#) 37655 Module <http://web.archive.org/web/20001210042700/http://web.archive.org/web/20001210042700/megahal.tar.gz>
bytes [id=1177](#)

"Older version of A.I. interface for Eggdrop, use megahal-1.4.mod.ta
(Comment from [Abraham](#) on 05/16/2000 @ 19:01 | [Read all 1 comment](#))

[megahal-1.4.mod.tar.gz](#) 37975 Module <http://web.archive.org/web/20001210042700/http://web.archive.org/web/20001210042700/megahal-1.4.mod.tar.gz>
bytes [id=1185](#)

"A.I. interface for Eggdrop."
(Comment from [Abraham](#) on 05/16/2000 @ 18:56 | [Read all 2 comments](#))

[lol_toolz_4.6.tar.gz](#) 31392 TCL http://web.archive.org/web/20001210042700/http://web.archive.org/web/20001210042700/lol_toolz_4.6.tar.gz
bytes Script [id=2291](#)

(No comments found, please [write a comment.](#))

[botcall.fix.gz](#) 3755 TCL <http://web.archive.org/web/20001210042700/http://web.archive.org/web/20001210042700/botcall.fix.gz>
bytes Script [id=3613](#)

"says a random funny phrase when someone says the nick of the bot"
(Comment from [BarkerJr](#) on 05/11/2000 @ 17:54 | [Read all 3 comments](#))

[beer.tcl.fix.gz](#) 1149 TCL <http://web.archive.org/web/20001210042700/http://web.archive.org/web/20001210042700/beer.tcl.fix.gz>
bytes Script [id=3601](#)

"Serves beer etc to the channel. :) Includes nickname changes"
(Comment from [BarkerJr](#) on 05/11/2000 @ 19:27 | [Read all 1 comment](#))

<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
-------------------------------------	-------------------------------------


<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
-------------------------------------	-------------------------------------



\times	\times
----------	----------



"A very basic BNC script all you have to is edit "pass" and "ircserver"
(Comment from Matt on 05/10/2000 @ 07:03 | Read all 1 comment:



You can mo
msg and otl
in language



(Posted by)





<http://web.archive.org/web/20001210061100/http://botnetcentral.wingdesign.de/>



News

- > Latest
- > Archive
- > Submit



Eggdrop

Eggdrop 1.4.x


> Changes

> Bug Report

Eggdrop 1.5.x



> Changes

> Bug Report



Scripts

- > !trigger Kit
- > Common Procs



Categories

Categories

> Seen


> Greet

> BNC

> Defense

> Fun

> Games



Forum

> Forum

> General

> Eggdrop

1.4.x

> Eggdrop

1.5.x



TCL Scripts in category: greet



Filename	Size	Section	Download
<u>ZimoZimo-badword3.0.tcl.zip</u>	2766 bytes	TCL Script	http://web.id=3530

(No comments found, please [write a comment.](#))

<u>protsys.tcl.gz</u>	1334 bytes	TCL Script	http://web.id=1722
------------------------------	------------	------------	---

"Protects other bots from being kicked or deopped on the channel.Bc
(Comment from [Matt](#) on 06/05/2000 @ 18:54 | [Read all 1 comment:](#)

<u>noppa.public.tcl.gz</u>	1998 bytes	TCL Script	http://web.id=3904
-----------------------------------	------------	------------	---

"xxxxxxxxxxxx"

(Comment from [xxxxxx](#) on 05/26/2000 @ 17:34 | [Read all 3 comme](#)

<u>newgreet0.6.3.tcl.gz</u>	629 bytes	TCL Script	http://web.id=2384
------------------------------------	-----------	------------	---

"This script will choose a random greet from a text file when a user v
(Comment from [Matt](#) on 05/11/2000 @ 09:05 | [Read all 1 comment:](#)

<u>multigreet1.3.tcl.gz</u>	2649 bytes	TCL Script	http://web.id=2359
------------------------------------	------------	------------	---

"Basicly just some more fixes and now it works on eggdrop 1.3.x"

(Comment from [Matt](#) on 05/11/2000 @ 09:03 | [Read all 1 comment:](#)



<u>multigreet1.2.tcl.gz</u>	2631 bytes	TCL Script	http://web.id=1693
------------------------------------	------------	------------	---

"Minor bug fixes and new things added. Some fixes on unknown chai
(Comment from [Matt](#) on 05/11/2000 @ 09:01 | [Read all 1 comment:](#)

<u>multigreet1.1.txt</u>	323 bytes	TCL Script	http://web.id=1692
---------------------------------	-----------	------------	---

"This is just a small .txt file sorta explaining the script you can read i
(Comment from [Matt](#) on 05/11/2000 @ 08:59 | [Read all 1 comment:](#)


> Bugs
> Other Stuff



Search



Quick search:



multigreet1.1.tcl.gz

2523 TCL <http://web.id=1691>
bytes Script

"MultiGreet say a greet each time someone joins a channel, you can
(Comment from [Matt](#) on 05/11/2000 @ 08:58 | [Read all 1 comment:](#)

multigreet.tcl.gz

2586 TCL <http://web.id=1690>
bytes Script

"Onjoin-Greeting Script that supports multiple channels. Including Pa
(Comment from [Z](#) on 05/10/2000 @ 13:27 | [Read all 1 comments...](#)

greetwonder1.8.tar.gz

24114 TCL <http://web.id=2197>
bytes Script

"More bug fixes and new features added since version 1.7. -- fixed: .
(Comment from [Matt](#) on 05/11/2000 @ 08:52 | [Read all 1 comment:](#)

greetwonder1.8.2.tar.gz

25155 TCL <http://web.id=2196>
bytes Script

"Greet Script for Eggdrop 1.x Supports: - flag greets - colored greets
(Comment from [Wingman](#) on 05/05/2000 @ 17:03 | [Read all 5 com](#)

greetwonder1.8.1.tar.gz

24956 TCL <http://web.id=2195>
bytes Script

"Some quick fixes and new stuff since version 1.8. -- fixed: some er
(Comment from [Matt](#) on 05/11/2000 @ 08:55 | [Read all 1 comment:](#)

greetwonder1.7.tar.gz

21759 TCL <http://web.id=2194>
bytes Script

"More fixes and new features since last version.-- fixed: some minor
(Comment from [Matt](#) on 05/11/2000 @ 08:47 | [Read all 1 comment:](#)

greetwonder1.5.tar.gz

19787 TCL <http://web.id=2193>
bytes Script

"WOW a lot of new features and bug fixes. fixed: various smaller bu
(Comment from [Matt](#) on 05/11/2000 @ 08:43 | [Read all 1 comment:](#)

greetwonder1.4.tar.gz

14432 TCL <http://web.id=2192>
bytes Script

"Bug fixes and features added from version 1.3 include FIXED: in so
(Comment from [Matt](#) on 05/11/2000 @ 08:30 | [Read all 1 comment:](#)

greetwonder1.4.1.tar.gz

14548 TCL <http://web.id=2191>
bytes Script

"A few bug fixes from 1.4 FIXED: ./greetinstall -> typo (should be w
(Comment from [Matt](#) on 05/11/2000 @ 08:37 | [Read all 1 comment:](#)

[greetwonder1.3.tar.gz](#) 12255 TCL <http://web.id=2190>
bytes Script
"Bug fixes and changes since 1.2 FIXED: smaller bugs (typos etc.). f
(Comment from [Matt](#) on 05/11/2000 @ 08:25 | [Read all 1 comment:](#)

[greetwonder1.2_greet_joinfix.tar.gz](#) 11820 TCL <http://web.id=2189>
bytes Script
"Same as version 1.1 but forgot a] in greet:join has been added."
(Comment from [Matt](#) on 05/11/2000 @ 06:50 | [Read all 1 comment:](#)

[greetwonder1.2.tar.gz](#) 11768 TCL <http://web.id=2188>
bytes Script
"Many bug fixes and changes from version 1.1. .+greet +n {a b} c -
(Comment from [Matt](#) on 05/11/2000 @ 06:48 | [Read all 1 comment:](#)

[greetwonder1.1.zip](#) 10671 TCL <http://web.id=2187>
bytes Script
"Same as below except in .zip format."
(Comment from [Matt](#) on 05/11/2000 @ 06:42 | [Read all 1 comment:](#)

[greetwonder1.1.tar.gz](#) 10241 TCL <http://web.id=2186>
bytes Script
"Same script as the others but I would suggest using a more recent
(Comment from [Matt](#) on 05/11/2000 @ 06:41 | [Read all 1 comment:](#)

[greetwonder1.0.5.tcl.gz](#) 6925 TCL <http://web.id=2185>
bytes Script
"No new features etc you should really just download a newer versio
(Comment from [Matt](#) on 06/05/2000 @ 20:04 | [Read all 1 comment:](#)

[greetwonder1.0.4.tcl.gz](#) 10418 TCL <http://web.id=2184>
bytes Script
"Same as version 1.0.3. with fixed some minor bugs. moved proc ini
(Comment from [Matt](#) on 05/11/2000 @ 06:37 | [Read all 1 comment:](#)

[greetwonder1.0.3.tcl.gz](#) 8073 TCL <http://web.id=2183>
bytes Script
"Read below this is the exact same script."
(Comment from [Matt](#) on 05/11/2000 @ 06:31 | [Read all 1 comment:](#)

[greetwonder1.0.3.tcl](#) 37687 TCL <http://web.id=2182>
bytes Script
"The grand daddy of greet scripts. full multi channel support each ch
(Comment from [Matt](#) on 05/11/2000 @ 06:30 | [Read all 1 comment:](#)

- greetd.tcl.gz** 882 TCL <http://web.id=2181>
bytes Script
"Greet script that can do multi-channel multi-lined greet msgs can ei
(Comment from [Matt](#) on 05/11/2000 @ 06:27 | [Read all 1 comment:](#)
- greet1.1.tcl.gz** 293 TCL <http://web.id=1630>
bytes Script
"For eggdrop 1.1.x. A simple greet script that send a notice to the us
(Comment from [Matt](#) on 05/11/2000 @ 06:25 | [Read all 1 comment:](#)
- greet1.1.desc** 217 TCL <http://web.id=1629>
bytes Script
"All this is is a description of what greet1.1 does. No use what so eve
(Comment from [Matt](#) on 05/11/2000 @ 04:28 | [Read all 1 comment:](#)
- greet-1.0.tcl.gz** 222 TCL <http://web.id=2180>
bytes Script
"Greeting script, created so the bot give one simple greet when a us
(Comment from [Matt](#) on 05/11/2000 @ 04:26 | [Read all 1 comment:](#)
- flagonjoin.tcl.gz** 1472 TCL <http://web.id=2153>
bytes Script
"Fuck I just want this FILE"
(Comment from [dfgfdh](#) on 05/29/2000 @ 12:50 | [Read all 2 commen](#)
- cgreet.tcl.gz** 772 TCL <http://web.id=1570>
bytes Script
"Channel specific greets for non-users. Very simple and has support
(Comment from [Matt](#) on 05/11/2000 @ 04:24 | [Read all 1 comment:](#)
- autoreop.gz** 703 TCL <http://web.id=3572>
bytes Script
"sdfsd fsdf"
(Comment from [crach](#) on 10/07/2000 @ 22:03 | [Read all 1 commen](#)
- autogreet10a-mbti.tcl.gz** 451 TCL <http://web.id=1496>
bytes Script
"If a user is not registered on the bot, and joins the channel, he/she
(Comment from [Matt](#) on 05/11/2000 @ 04:22 | [Read all 1 comment:](#)
- AI.tcl.gz** 804 TCL <http://web.id=1456>
bytes Script
(No comments found, please [write a comment.](#))
- 3xBot103.tar.gz** 39036 TCL <http://web.id=1800>
bytes Script

"good"

(Comment from [chandra](#) on 10/09/2000 @ 20:56 | [Read all 1 comm](#)